

SPECIFICATIONS

VELOUR PILE HEIGHTS

40 oz Velour

Pile fibre	100% wool
Pile height	7.50mm approximately
Total height	9.50mm approximately
Tufted pile mass	40 oz/yd ² before shearing & including moisture regain 1355 grams/m ²
Finished pile mass	38 oz/yd ² after shearing & including moisture regain 1280 grams/m ²
Recommended	Medium to heavy residential use (no stairs)

50 oz Velour

Pile fibre	100% wool
Pile height	8.00mm approximately
Total height	10.00mm approximately
Tufted pile mass	50 oz/yd ² before shearing & including moisture regain 1695 grams/m ²
Finished pile mass	48 oz/yd ² after shearing and including moisture regain 1630 grams/m ² + or - 1.5% to Australian standards
Recommended	Extra heavy residential (including stairs) Medium contract

60 oz Velour

Pile fibre	100% wool
Pile height	10.50mm approximately
Total carpet height	12.50mm approximately
Tufted pile mass	60 oz/yd ² before shearing & including moisture regain 2030 grams/m ²
Finished pile mass	58 oz/yd ² after shearing & including moisture regain 1960 grams/m ² and + or - 5% to Australian Standards
Recommended	Heavy residential use (including stairs)

80 oz Velour

Pile fibre	100% wool
Pile height	12.50mm approximately
Total carpet height	14.00mm approximately
Tufted pile mass	80 oz/yd ² before shearing & including moisture regain 2710 grams/m ²
Finished pile mass	78oz/yd ² after shearing & including moisture regain 2640 grams/m ² and + or -5% to Australian Standards
Recommended	Luxury residential use

TWIST PILE HEIGHTS

40 oz Twist

Pile fibre	100% wool
Pile height	7.50mm approximately
Total height	9.50mm approximately
Tufted pile mass	40 oz/yd ² before shearing & including moisture regain 1355 grams/m ²
Finished pile mass	38 oz/yd ² after shearing & including moisture regain 1280 grams/m ²
Recommended	Medium to heavy residential use (no stairs)

50 oz Twist

Pile fibre	100% wool
Pile height	8.00mm approximately
Total height	10.00mm approximately
Tufted pile mass	50 oz/yd ² before shearing & including moisture regain 1695 grams/m ²
Finished pile mass	48 oz/yd ² after shearing and including moisture regain 1630 grams/m ² + or - 1.5% to Australian standards
Recommended	Extra heavy residential (including stairs) Medium contract

60 oz Twist

Pile fibre	100% wool
Pile height	10.50mm approximately
Total carpet height	12.50mm approximately
Tufted pile mass	60 oz/yd ² before shearing & including moisture regain 2030 grams/m ²
Finished pile mass	58 oz/yd ² after shearing & including moisture regain 1960 grams/m ² and + or - 5% to Australian Standards
Recommended	Heavy residential use (including stairs)

80 oz Twist

Pile fibre	100% wool
Pile height	12.50mm approximately
Total carpet height	14.00mm approximately
Tufted pile mass	80 oz/yd ² before shearing & including moisture regain 2710 grams/m ²
Finished pile mass	78oz/yd ² after shearing & including moisture regain 2640 grams/m ² and + or -5% to Australian Standards
Recommended	Luxury Residential Use

SUPERTUFT

EST. 1980

SPECIFICATIONS

PILE HEIGHTS